



HONDA

Certified
Pre-Owned

182-Point Inspection Checklist

Dealer Name: **PINEGAR HONDA**

Dealer #: **208893**

Program Plan: **HONDATRUE CERTIFIED**

Vehicle Information

Year: **2021** Model: **CR-V 1.5T** VIN: **2HKRW2H81MH633384**

Mileage: **52900** Color: **LUNAR SILVER METALLIC**

Stock #: **260651A** Repair Order #: **142383**

182-Point Inspection Checklist

Rear Exterior Continued

MEETS STANDARDS: YES NO N/A

101. Integrated Bed Lights/Lenses (Condition and operation - Ridgeline) ☐ ☐ ☐
102. License Plate Brackets/Light (Condition and operation) ☐ ☐ ☐
103. Emergency Flashers/Reflectors (Condition and operation) ☐ ☐ ☐
104. Backup/Parking Sensors (Condition only - front/rear) ☐ ☐ ☐
105. Rear Bumper (Paint finish and quality) ☐ ☐ ☐
106. Rear Fenders/Quarter Panels (Paint finish and quality) ☐ ☐ ☐
107. Rear/Sliding Doors (Paint finish and quality) ☐ ☐ ☐
108. Exhaust(s) (Condition - loose or damaged) ☐ ☐ ☐
109. Fuel Door/Cap (Fuel door and cap operation - if applicable) ☐ ☐ ☐

Comments:

Under Hood/Fluids

MEETS STANDARDS: YES NO N/A

110. Hood Support/Prop Rod (Condition - holds hood up) ☐ ☐ ☐
111. Hood Support Struts (Hold hood up) ☐ ☐ ☐
112. Engine Compartment (Condition - must be clean) ☐ ☐ ☐
113. Engine Valve Train (Excessive or abnormal noise) ☐ ☐ ☐
114. Engine Mounts (Condition - cracks/tears in the rubber) ☐ ☐ ☐
115. Engine (Condition, operation, fluid level and leaks) ☐ ☐ ☐
116. Transmission Mount (Condition - bracket, rubber bushing) ☐ ☐ ☐
117. Transmission (Operation - MT or AT, fluid level and leaks) ☐ ☐ ☐
118. Clutch Master Cylinder (Operation and leaks) ☐ ☐ ☐
119. Brake Master Cylinder/Booster (Fluid level and leaks) ☐ ☐ ☐
120. Brake System (Operation and leaks) ☐ ☐ ☐
121. 12-Volt Battery (Condition and load test) ☐ ☐ ☐
122. High-Voltage Battery (Diagnostic Trouble Codes [DTCs]) ☐ ☐ ☐
123. Alternator (Belt condition, tension and charge) ☐ ☐ ☐
124. Water Pump (Noise and leaks) ☐ ☐ ☐
125. Fuel Injectors (Condition - fuel lines and hoses) ☐ ☐ ☐
126. Radiator (Leaks and damage) ☐ ☐ ☐
127. Coolant Recovery Tank (Condition, fluid level and leaks) ☐ ☐ ☐
128. Cooling Fan (Operation - run engine until fan turns on) ☐ ☐ ☐
129. Coolant Hoses (Condition and leaks) ☐ ☐ ☐
130. AC Condenser (Corrosion and damage) ☐ ☐ ☐
131. AC Compressor (Proper cycling, belt condition and tension) ☐ ☐ ☐
132. Power Steering (Belt condition, tension, fluid level and leaks) ☐ ☐ ☐
133. Electric Power Steering (Operation) ☐ ☐ ☐
134. Differential Fluid (Check level and leaks) ☐ ☐ ☐
135. Washer Fluid (Check level and leaks) ☐ ☐ ☐

Comments:

Under Vehicle

MEETS STANDARDS: YES NO N/A

136. Brake Calipers (Evidence of binding, loose bolts and leaks) ☐ ☐ ☐
137. Hydraulic Hose/Line (Cracks, kinks, loose bolts and leaks) ☐ ☐ ☐
138. Suspension (Loose bolts, bent/broken control arms) ☐ ☐ ☐
139. Bushings (Evidence of cracks, wear or damage) ☐ ☐ ☐
140. Universal/CV Joint/Boots/Driveshaft (Cracks and leaks) ☐ ☐ ☐
141. Exhaust System (Leaks, holes, dents, cracks and hangers) ☐ ☐ ☐

Comments:

Brakes/Wheels/Tires

MEETS STANDARDS: YES NO N/A

Left-Front

142. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
143. Rotor (Replace if damaged and/or wear is beyond service limits) .. ☐ ☐ ☐

Record Measurements Below in Millimeters

BRAKE PAD/SHOE	BRAKE ROTOR
8 mm	25 mm

Brakes/Wheels/Tires Continued

MEETS STANDARDS: YES NO N/A

144. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
145. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Right-Front

146. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
147. Rotor (Replace if damaged and/or wear is beyond service limits) ... ☐ ☐ ☐

Record Measurements Below in Millimeters

BRAKE PAD/SHOE	BRAKE ROTOR
8 mm	25 mm

148. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
149. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Left-Rear

150. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
151. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters - Write N/A if not applicable

BRAKE PAD/SHOE	BRAKE ROTOR	BRAKE DRUM
7 mm	10 mm	N/A mm

152. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
153. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Right-Rear

154. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
155. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters - Write N/A if not applicable

BRAKE PAD/SHOE	BRAKE ROTOR	BRAKE DRUM
7 mm	10 mm	N/A mm

156. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
157. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐
158. Spare Tire/Tool Kit (Check condition and all tools present) ☐ ☐ ☐

Comments:

Replacement Items

MEETS STANDARDS: YES NO N/A

159. Engine Air Filter (Replace if dirty) ☐ ☐ ☐
160. Cabin Filter (Replace if dirty) ☐ ☐ ☐
161. Front Wiper Blades (Must wipe the windshield clean) ☐ ☐ ☐
162. Rear Wiper Blade (Must wipe the windshield clean) ☐ ☐ ☐
163. Floor Mats (Install new if missing, stained or damaged) ☐ ☐ ☐
164. Two Master Keys (Replace if missing or damaged) ☐ ☐ ☐
165. Two OEM Key Remotes (Replace if missing or damaged) ☐ ☐ ☐
166. Valet Key (Replace if missing or damaged) ☐ ☐ ☐
167. Navigation CD (Replace if missing or damaged) ☐ ☐ ☐
168. RES Remote Control (Replace if missing or damaged) ☐ ☐ ☐
169. RES Headphones (Replace if missing or damaged) ☐ ☐ ☐

Comments:

182-Point Inspection Checklist



Road Test

	MEETS STANDARDS:	YES	NO	N/A
170. Idle Vibration (Cold and hot)	☐	☐	☐	
171. Engine Noise (Cold/hot/high and low speeds)	☐	☐	☐	
172. Acceleration (Power)	☐	☐	☐	
173. Drivability (Smoothness)	☐	☐	☐	
174. MT Clutch (Smoothness, effort and slippage)	☐	☐	☐	
175. Transaxle Noise (Cold and hot)	☐	☐	☐	
176. Suspension Noise (Performance, frequency and intensity)	☐	☐	☐	
177. CV Joint/Drive Axle Noise (Full lock, turn left/right)	☐	☐	☐	
178. Braking System (Noise, vibration and effort)	☐	☐	☐	

Road Test Continued

	MEETS STANDARDS:	YES	NO	N/A
179. Cruise Control System (Engage, cancel and resume)	☐	☐	☐	
180. Steering/Tire/Wheel (Abnormal vibration and stiffness)	☐	☐	☐	
181. Vehicle Drift/Pull (Abnormal drift/pull - drive straight)	☐	☐	☐	
182. Wind Noise (Abnormal noise - frequency and intensity)	☐	☐	☐	

Comments:

Technician Acknowledgment (Signature Required)

I certify that: i) I inspected all applicable items on this checklist; ii) all required reconditioning was performed and meets Honda Certified Pre-Owned Vehicle Program Standards; and iii) this vehicle is eligible for certification. All items that did not meet program standards have been properly repaired with Honda Genuine Parts and thoroughly documented on the reconditioning repair order. All diagnostic trouble codes (DTCs) have been remedied and cleared, and all applicable campaigns and recalls have been properly completed prior to vehicle certification and delivery.

Technician: MIKHAIL BELYAYEV DPTS #: D894107 Signature: _____ Date: 1/30/2026

Dealer Management Acknowledgment (Signature Required)

I certify that: i) all applicable items on this checklist were inspected; ii) all required reconditioning was performed and meets Honda Certified Pre-Owned Vehicle Program Standards; and iii) this vehicle is eligible for certification and will be reported to American Honda within 48 hours of retail delivery.

Name (Print): AARON CARNETT Signature: _____ Date: 1/31/2026

Please select your title:

- | | | | |
|---|--|--|--|
| ☐ Dealer Principal | ☐ Dealership Manager | ☐ General Manager | ☐ General Sales Manager |
| ☐ Sales Manager | ☐ Business Office Manager | ☐ Service Manager | ☐ Pre-Owned Manager |

Certified Program Standards

- Perform all required maintenance
- All fluids must be topped off
- Floor mats must all be present and properly secured
- All tires must be same size, brand, load, speed rating and free of damage
- OEM or non-OEM windshields containing cracks, chips, scratches and pitting must be repaired and/or replaced with Honda Genuine glass
- Scratches greater than 4 inches, dings/dents that cannot be covered with a dime and/or damage that penetrates the base metal must be repaired

Documentation/Keys/Manuals

	MEETS STANDARDS:	YES	NO	N/A
Check items provided to the customer during vehicle delivery:				
A. Vehicle Inspection Checklist	☐	☐	☐	
B. Vehicle History Report (CARFAX™ or AutoCheck®)	☐	☐	☐	
C. Owner's Guide	☐	☐	☐	
D. Owner's Manual	☐	☐	☐	
☐ Paper ☐ CD/DVD ☐ Online				
E. New Car Warranty Manual	☐	☐	☐	
☐ Paper ☐ CD/DVD ☐ Online				
F. Certified Warranty Booklet	☐	☐	☐	

	MEETS STANDARDS:	YES	NO	N/A
Check items provided to the customer during vehicle delivery:				
G. Navigation Manual	☐	☐	☐	
☐ Paper ☐ CD/DVD ☐ Online				
H. Navigation Code #: (.....)	☐	☐	☐	
I. Radio Security Code #: (.....)	☐	☐	☐	
J. Keys (Two OEM key remotes)	☐	☐	☐	
K. Valet Key (One key)	☐	☐	☐	

Comments:

Customer Acknowledgment (Signature Required)

All applicable items checked above (A through K) have been reviewed with and provided to me by the dealership at the time of vehicle delivery.

Customer Name (Print): _____ Signature: _____ Date: _____