



Precision Certified EV

167-Point EV Inspection Checklist

Dealer Name: Acura of Bayshore

Dealer #: 251581

Vehicle Information

Year: 2024 Model: ZDX VIN: 4W5KHNRL7RZ510143

Mileage: 743 Color: SNOWFALL PEARL

Stock #: T21311 Repair Order #: 179162

167-Point EV Inspection Checklist

VIN Verification

1. Vehicle History Report (VHR cannot have any conditions listed to the right)
2. VIN Status Inquiry (All open campaigns/recalls must be completed)
3. VIN Plates (All VIN plates must match engine compartment, doorjamb, and dash)
4. FMVSS and Tire Label (Both labels must be on the driver-side B-pillar)

Unibody

5. Frame (Carefully inspect the vehicle for any prior structural damage)

After-Market Accessories/Modifications

6. After-Market Accessories (Inspect vehicle for any after-market components)
(Only Genuine Acura Factory accessories or accessory kits are acceptable on Acura Certified Pre-Owned Vehicles)

Front Interior

MEETS STANDARDS: YES NO N/A

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 7. Key Remotes (Unlock, lock and panic buttons) | ☐ | ☐ | ☐ |
| 8. Keyless Access System (Driver door button-unlock/lock) | ☐ | ☐ | ☐ |
| 9. Start Button (Vehicle starts) | ☐ | ☐ | ☐ |
| 10. Remote Start (Operation) | ☐ | ☐ | ☐ |
| 11. Door Chime (Operation) | ☐ | ☐ | ☐ |
| 12. Instrumentation (All indicators illuminate "ON" position) | ☐ | ☐ | ☐ |
| 13. Dash (Condition, instrument panel, light, and brightness) | ☐ | ☐ | ☐ |
| 14. Speedometer (Operation, needles, and RPMs) | ☐ | ☐ | ☐ |
| 15. Clock (Operation and display) | ☐ | ☐ | ☐ |
| 16. Compass (Operation and display) | ☐ | ☐ | ☐ |
| 17. Horn (Operation) | ☐ | ☐ | ☐ |
| 18. Steering Wheel (Condition, tilt, telescopic, and lock mode) | ☐ | ☐ | ☐ |
| 19. Steering Wheel-Mounted Controls (Operation) | ☐ | ☐ | ☐ |
| 20. Windshield Wipers/Washers (Aim, pressure-front/rear) | ☐ | ☐ | ☐ |
| 21. Shifter (Check all shifting points) | ☐ | ☐ | ☐ |
| 22. Backup/Parking Sensors (Operation only-front/rear) | ☐ | ☐ | ☐ |
| 23. Parking Brake (Engages and displays on dash) | ☐ | ☐ | ☐ |
| 24. Hood Release (Operation) | ☐ | ☐ | ☐ |
| 25. Trunk/Tailgate/Hatch Release (Operation) | ☐ | ☐ | ☐ |
| 26. Carpet (Condition-must be clean and free of damage) | ☐ | ☐ | ☐ |
| 27. Floor Mat Retention Hooks (Secure floor mats properly) | ☐ | ☐ | ☐ |
| 28. Center Console (Condition-opens, closes, and locks) | ☐ | ☐ | ☐ |
| 29. Glove Box (Condition-opens, closes, and locks) | ☐ | ☐ | ☐ |
| 30. Beverage Holders (Condition-must be clean) | ☐ | ☐ | ☐ |
| 31. Armrest/Side Pockets (Condition-must be clean) | ☐ | ☐ | ☐ |
| 32. Seats (Upholstery condition, operation, and tracks) | ☐ | ☐ | ☐ |
| 33. Seat Heaters (Operation and heating performance) | ☐ | ☐ | ☐ |
| 34. Seat Belts (Belts, buckles, latches, and retraction) | ☐ | ☐ | ☐ |
| 35. Headrests (Adjustment-up/down) | ☐ | ☐ | ☐ |
| 36. Windows (Operation-noise, speed, full travel and glass) | ☐ | ☐ | ☐ |
| 37. Front Doors (Operation, trim, panels, handles, latches, locks) | ☐ | ☐ | ☐ |
| 38. Side Mirrors (Condition, operation, side-view camera-if applicable).... | ☐ | ☐ | ☐ |
| 39. Side Mirror Blinkers (Condition and operation) | ☐ | ☐ | ☐ |
| 40. Rearview Mirror (Operation, auto-dimming-if equipped) | ☐ | ☐ | ☐ |
| 41. Headliner (Condition-must be clean and free of damage) | ☐ | ☐ | ☐ |
| 42. Sunglasses Holder (Condition-opens/closes) | ☐ | ☐ | ☐ |
| 43. Sunroof/Shade/Glass (Condition and operation) | ☐ | ☐ | ☐ |
| 44. Sun Visors/Mirrors (Condition-flip up, down/sideways) | ☐ | ☐ | ☐ |
| 45. Courtesy/Map Lights (Condition and operation) | ☐ | ☐ | ☐ |
| 46. AC/Heater/Defroster (Operation and vent outlets) | ☐ | ☐ | ☐ |
| 47. AM/FM/XM Radio (Operation, display, control panel, speakers) ... | ☐ | ☐ | ☐ |
| 48. Multimedia (USB port and USB-C port) | ☐ | ☐ | ☐ |
| 49. Hard Disk Drive (Clear all previously stored data) | ☐ | ☐ | ☐ |
| 50. On Demand Multi-Use Display™-ODMD™ (Operation and display) | ☐ | ☐ | ☐ |
| 51. Install Software Upgrade, if needed..... | ☐ | ☐ | ☐ |
| 52. AcuraLink® (Operation-check subscription status) | ☐ | ☐ | ☐ |
| 53. OnStar Check (Green light) | ☐ | ☐ | ☐ |
| 54. Bluetooth® Streaming Audio (Operation-must pair with phone) | ☐ | ☐ | ☐ |
| 55. Bluetooth® HandsFreeLink® (Perform voice commands-must pair with phone) | ☐ | ☐ | ☐ |
| 56. Google System (Operation, display, clear all stored data) | ☐ | ☐ | ☐ |
| 57. Multi-Angle Rearview Camera (Operation and display) | ☐ | ☐ | ☐ |

Comments:

- | | | |
|--------------------------|--------------------------|--|
| Eligible | Not Eligible | VEHICLES REPORTED WITH THE FOLLOWING ARE <u>NOT</u> ELIGIBLE FOR CERTIFICATION:
- Odometer Rollback
- Not Actual Mileage
- Exceeds Mechanical Limits
- Manufacturer Buyback
- Hail/Fire/Flood Damage
- Dismantled/Reconstructed
- Branded/Junked/Salvaged Title
- Airbag Deployment/Gray Market |
| ☐ | ☐ | |
| ☐ | ☐ | |
| ☐ | ☐ | |
| Eligible | Not Eligible | VEHICLES WITH UNIBODY DAMAGE ARE <u>NOT</u> ELIGIBLE FOR CERTIFICATION
Report any visible signs of unibody damage to the Service Manager. |
| ☐ | ☐ | |
| Eligible | Not Eligible | VEHICLES WITH AFTER-MARKET ITEMS ARE <u>NOT</u> ELIGIBLE FOR CERTIFICATION
Non-OEM glass is acceptable <u>only</u> if it meets ACPV program standards. Refer to the certified program standards on page 4 of this checklist. |
| ☐ | ☐ | |

Rear Interior

MEETS STANDARDS: YES NO N/A

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 58. Carpet (Condition-must be clean and free of damage) | ☐ | ☐ | ☐ |
| 59. Floor Mat Retention Hooks (Secure floor mats properly) | ☐ | ☐ | ☐ |
| 60. Beverage Holders (Condition-must be clean) | ☐ | ☐ | ☐ |
| 61. Armrest/Side/Seat Pockets (Condition-must be clean) | ☐ | ☐ | ☐ |
| 62. Seats (Upholstery condition, operation, and tracks) | ☐ | ☐ | ☐ |
| 63. Seat Heaters (Operation and heating performance) | ☐ | ☐ | ☐ |
| 64. Seat Belts (Belts, buckles, latches, anchors, and retraction) | ☐ | ☐ | ☐ |
| 65. Headrests (Adjustment-up/down) | ☐ | ☐ | ☐ |
| 66. Windows (Operation-noise, speed, full travel, and glass) | ☐ | ☐ | ☐ |
| 67. Integrated Sunshades (Operation-up/down/hook properly) | ☐ | ☐ | ☐ |
| 68. Power Rear Sunshade (Operation and condition) | ☐ | ☐ | ☐ |
| 69. Rear Doors (Operation, trim, panels, handles, latches, locks) | ☐ | ☐ | ☐ |
| 70. Dome/Map Lights (Condition and operation) | ☐ | ☐ | ☐ |
| 71. Cargo Light (Condition and operation) | ☐ | ☐ | ☐ |
| 72. Cargo Privacy Cover (Retracts and hooks properly) | ☐ | ☐ | ☐ |
| 73. Cargo/Luggage Compartment (Condition-must be clean) | ☐ | ☐ | ☐ |

Comments:

Front Exterior

MEETS STANDARDS: YES NO N/A

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 74. Windshield Glass (Cracks, chips, pits, scratches, antenna) | ☐ | ☐ | ☐ |
| 75. Windshield Wiper Blades/Arms (Condition and operation) | ☐ | ☐ | ☐ |
| 76. Hood (Paint finish and quality) | ☐ | ☐ | ☐ |
| 77. Acura Emblem (Condition-missing or damaged) | ☐ | ☐ | ☐ |
| 78. Grille (Condition) | ☐ | ☐ | ☐ |
| 79. Front Bumper (Paint finish and quality) | ☐ | ☐ | ☐ |
| 80. Front Fenders (Paint finish and quality) | ☐ | ☐ | ☐ |
| 81. Headlights/Lenses (Condition and operation-moisture) | ☐ | ☐ | ☐ |
| 82. Fog Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 83. Daytime Running Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 84. Turn Signal Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 85. Front Doors (Paint finish and quality) | ☐ | ☐ | ☐ |
| 86. Side Mirrors (Paint finish and quality) | ☐ | ☐ | ☐ |
| 87. Roof (Paint finish and quality) | ☐ | ☐ | ☐ |
| 88. Charge Port Door Release (Operation) | ☐ | ☐ | ☐ |

Comments:

Rear Exterior

MEETS STANDARDS: YES NO N/A

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 89. Windshield Glass (Cracks, chips, pits, scratches) | ☐ | ☐ | ☐ |
| 90. Windshield Wiper Blade/Arm (Condition and operation) | ☐ | ☐ | ☐ |
| 91. Trunk/Tailgate/Hatch (Paint finish, quality-tailgate button) | ☐ | ☐ | ☐ |
| 92. Acura Emblems (Condition-missing or damaged) | ☐ | ☐ | ☐ |
| 93. Brake Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 94. Taillights/Lenses (Condition and operation-moisture) | ☐ | ☐ | ☐ |
| 95. Backup Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 96. Turn Signal Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 97. Emergency Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |

167-Point EV Inspection Checklist

Rear Exterior Continued

MEETS STANDARDS: YES NO N/A

98. License Plate Brackets/Light (Condition and operation) ☐ ☐ ☐
99. Emergency Flashers/Reflectors (Condition and operation) ☐ ☐ ☐
100. Backup/Parking Sensors (Condition only-front/rear) ☐ ☐ ☐
101. Rear Bumper (Paint finish and quality) ☐ ☐ ☐
102. Rear Fenders/Quarter Panels (Paint finish and quality)..... ☐ ☐ ☐

Comments:

Under Hood/Fluids

MEETS STANDARDS: YES NO N/A

103. Hood Support/Prop Rod (Condition-holds hood up) ☐ ☐ ☐
104. Hood Support Struts (Hold hood up) ☐ ☐ ☐
105. Under Hood Compartment (Condition-must be clean) ☐ ☐ ☐
106. Mounts (Condition-cracks/tears in the rubber)..... ☐ ☐ ☐
107. Drive Unit Mount (Condition-bracket, rubber bushing) ☐ ☐ ☐
108. Drive Unit (Operation-fluid level and leaks) ☐ ☐ ☐
109. Brake Master Cylinder/Booster (Fluid level and leaks) ☐ ☐ ☐
110. Brake System (Operation and leaks) ☐ ☐ ☐
111. 12-Volt Battery (Condition and load test) ☐ ☐ ☐
112. High-Voltage Battery (Diagnostic Trouble Codes [DTCs]) ☐ ☐ ☐
113. Radiator (Leaks and damage) ☐ ☐ ☐
114. Coolant Recovery Tank (Condition, fluid level, and leaks) ☐ ☐ ☐
115. Cooling Fan (Operation) ☐ ☐ ☐
116. Coolant Hoses (Condition and leaks) ☐ ☐ ☐
117. AC Condenser (Corrosion and damage) ☐ ☐ ☐
118. AC Compressor (Proper cycling, belt condition, and tension) ☐ ☐ ☐
119. Electric Power Steering (Operation) ☐ ☐ ☐
120. Drive Unit Fluid (Check level and leaks) ☐ ☐ ☐
121. Washer Fluid (Check level and leaks) ☐ ☐ ☐

Comments:

Under Vehicle

MEETS STANDARDS: YES NO N/A

122. Brake Calipers (Evidence of binding, loose bolts, and leaks) ☐ ☐ ☐
123. Hydraulic Hose/Line (Cracks, kinks, loose bolts, and leaks) ☐ ☐ ☐
124. Suspension (Loose bolts, bent/broken control arms) ☐ ☐ ☐
125. Bushings (Evidence of cracks, wear, or damage) ☐ ☐ ☐
126. Universal/CV Joint/Boots/Driveshaft (Cracks and leaks) ☐ ☐ ☐
127. System (Leaks, holes, dents, cracks, and hangers) ☐ ☐ ☐

Comments:

Brakes/Wheels/Tires

MEETS STANDARDS: YES NO N/A

Left-Front

128. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
129. Rotor (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐
130. Wheel (Check condition, lug nut, torque, and valve stem) ☐ ☐ ☐
131. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Record Measurements Below in Millimeters

Brake Pad/Shoe	Brake Rotor
10 mm	30 mm

Right-Front

132. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
133. Rotor (Replace if damaged and/or wear is beyond service limits).... ☐ ☐ ☐

Brakes/Wheels/Tires Continued

MEETS STANDARDS: YES NO N/A

134. Wheel (Check condition, lug nut, torque, and valve stem) ☐ ☐ ☐
135. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Record Measurements Below in Millimeters-Write N/A if not applicable

Brake Pad/Shoe	Brake Rotor
10 mm	30 mm

Left-Rear

136. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
137. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters-Write N/A if not applicable

Brake Pad/Shoe	Brake Rotor	Brake Drum
10 mm	19 mm	NA mm

138. Wheel (Check condition, lug nut, torque, and valve stem) ☐ ☐ ☐
139. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Right-Rear

140. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
141. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters-Write N/A if not applicable

Brake Pad/Shoe	Brake Rotor	Brake Drum
10 mm	19 mm	NA mm

142. Wheel (Check condition, lug nut, torque, and valve stem) ☐ ☐ ☐
143. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Comments:

Replacement Items

MEETS STANDARDS: YES NO N/A

144. Cabin Filter (Replace if dirty) ☐ ☐ ☐
145. Front Wiper Blades (Must wipe the windshield clean) ☐ ☐ ☐
146. Rear Wiper Blade (Must wipe the windshield clean) ☐ ☐ ☐
147. Floor Mats (Install new if missing, stained, or damaged) ☐ ☐ ☐
148. Two Master Keys (Replace if missing or damaged) ☐ ☐ ☐
149. Two OEM Remotes (Replace if missing or damaged) ☐ ☐ ☐
150. Valet Key (Replace if missing or damaged) ☐ ☐ ☐

Comments:

Charging

MEETS STANDARDS: YES NO N/A

151. Charge Port Check (Socket, cover, and connectors) ☐ ☐ ☐
152. AC Charging (L1 & L2) ☐ ☐ ☐
153. DC Fast Charging ☐ ☐ ☐
154. Ability to charge to a minimum of 80% ☐ ☐ ☐
155. State of Charge (Charging Status Screen) ☐ ☐ ☐

Comments:

167-Point EV Inspection Checklist

Road Test

MEETS STANDARDS: YES NO N/A

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 156. Idle Vibration (Cold and hot) | ☐ | ☐ | ☐ |
| 157. Vehicle Noise (Cold/hot/high and low speeds) | ☐ | ☐ | ☐ |
| 158. Acceleration (Power) | ☐ | ☐ | ☐ |
| 159. Drivability (Smoothness) | ☐ | ☐ | ☐ |
| 160. Drive Unit (Cold and hot) | ☐ | ☐ | ☐ |
| 161. Suspension Noise (Performance, frequency and intensity).... | ☐ | ☐ | ☐ |
| 162. CV Joint/Drive Axle Noise (Full lock, turn left/right)..... | ☐ | ☐ | ☐ |

Road Test Continued

MEETS STANDARDS: YES NO N/A

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 163. Braking System (Noise, vibration and effort) | ☐ | ☐ | ☐ |
| 164. Cruise Control System (Engage, cancel, and resume) | ☐ | ☐ | ☐ |
| 165. Steering/Tire/Wheel (Abnormal vibration, and stiffness) | ☐ | ☐ | ☐ |
| 166. Vehicle Drift/Pull (Abnormal drift/pull-drive straight) | ☐ | ☐ | ☐ |
| 167. Wind Noise (Abnormal noise-frequency and intensity) | ☐ | ☐ | ☐ |

Comments:


Technician Acknowledgment (Signature Required)

I certify that: i) I inspected all applicable items on this checklist; ii) all required reconditioning was performed and meets Acura Certified Pre-Owned Vehicle Program Standards; and iii) this vehicle is eligible for certification. All items that did not meet program standards have been properly repaired with Acura Genuine Parts and thoroughly documented on the reconditioning repair order. All diagnostic trouble codes (DTCs) have been remedied and cleared, and all applicable campaigns and recalls have been properly completed prior to vehicle certification and delivery.

Technician: MICHAEL DESEPOLI DPTS #: D399515 Signature:  Date: 10/9/2025

Dealer Management Acknowledgment (Signature Required)

I certify that: i) all applicable items on this checklist were inspected; ii) all required reconditioning was performed and meets Acura Certified Pre-Owned Vehicle Program Standards; and iii) this vehicle is eligible for certification and will be reported to American Honda within 48 hours of retail delivery.

Name: (Print): TODD LAZARUS Signature:  Date: 10/9/2025

Please select your title:

- | | | | |
|---|--|--|--|
| ☐ Dealer Principal | ☐ Dealership Manager | ☐ General Manager | ☐ General Sales Manager |
| ☐ Sales Manager | ☐ Business Office Manager | ☐ Service Manager | ☐ Pre-Owned Manager |

Certified Program Standards

- Perform all required maintenance
- All fluids must be topped off
- Floor mats must all be present and properly secured
- All tires must be same size, brand, load, speed rating, and free of damage
- OEM or non-OEM windshields containing cracks, chips, scratches, and pitting must be repaired and/or replaced with Acura Genuine glass
- Scratches greater than 4 inches, dings/dents that cannot be covered with a dime and/or damage that penetrates the base metal must be repaired

Documentation/Keys/Manuals

MEETS STANDARDS: YES NO N/A

Check items provided to the customer during vehicle delivery:

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| A. Vehicle Inspection Checklist | ☐ | ☐ | ☐ |
| B. Vehicle History Report (CARFAX™ or AutoCheck®) | ☐ | ☐ | ☐ |
| C. Owner's Guide | ☐ | ☐ | ☐ |
| D. Owner's Manual | ☐ | ☐ | ☐ |
| ☐ Paper ☐ Online | | | |
| E. New Car Warranty Manual | ☐ | ☐ | ☐ |
| ☐ Paper ☐ Online | | | |
| F. Certified Warranty Booklet | ☐ | ☐ | ☐ |
| G. Navigation Manual | ☐ | ☐ | ☐ |
| ☐ Paper ☐ Online | | | |

MEETS STANDARDS: YES NO N/A

Check items provided to the customer during vehicle delivery:

- | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|
| H. Keys (Two OEM key remotes) | ☐ | ☐ | ☐ |
| I. AcuraLink Trial Activation | ☐ | ☐ | ☐ |

Comments:

Client Acknowledgment (Signature Required)

All applicable items checked above (A through I) have been reviewed with and provided to me by the dealership at the time of vehicle delivery.

Client Name (Print): _____ Signature: _____ Date: _____