

Dealer	Name:	GERMAIN HONDA OF ANN ARBOR
Dealer #·	208595	

#### **Vehicle Information**

Year: 2018 Model: PILOT VIN: 5FNYF6H35JB004373

Mileage: 71731 Color: BLACK FOREST PEARL

Stock #: LBOH339A Repair Order #: 182176





VIN Verification		Eligible	Not Eligible	VEHICLES REPORTED WITH THE FOLLOWING ARE <b>NOT</b> ELIGIBLE FOR CERTIFICA	ATION
1. Vehicle History Report (VHR cannot have any conditions listed on the	right	:) 0	0	- Odometer Rollback - Hail/Fire/Flood Damage	
2. VIN Status Inquiry (All open campaigns/recalls must be completed)	)	0	0	- Not Actual Mileage - Dismantled/Reconstructed	
3. VIN Plates (All VIN plates must match engine compartment,				- Exceeds Mechanical Limits - Branded/Junked/Salvaged Title	
doorjamb and dash)		0	0	- Manufacturer Buyback - Airbag Deployment/Gray Market	
Unibody		Eligible	Not Eligible	VEHICLES WITH UNIBODY DAMAGE ARE <b>NOT</b> ELIGIBLE FOR CERTIFICATION:	
4. Frame (Carefully inspect the vehicle for any prior structural damage	e)	0	0	Report any visible signs of unibody damage to the Service Manager.	
Vehicle Diagnostics			Not	VEHICLES WITH AFTER-MARKET ITEMS ARE <b>NOT</b> ELIGIBLE FOR CERTIFICATIO	
5. Check for Diagnostic Trouble Codes (DTC)		Eligible	Eligible		
5. Check for Diagnostic frouble Codes (DTC)		. U	0	Refer to the certified program standards on page 4 of this checklist.	
Front Interior MEETS STANDARDS:	YES N	IO N/A	Re	ear Interior MEETS STANDARDS: YES	NO N/A
6. Key Remotes, at least one (Unlock, lock and panic buttons)	0 (	<b>0</b>	40	. Seats (Upholstery condition, operation and tracks)	0 0
7. Keyless Entry System (Driver's-door button-unlock/lock)				. Seat Belts (Belts, buckles, latches, anchors and retraction)	
8. SRS Airbags (Exterior condition/Check warning lamp self-check)	0 (	<b>-</b>	42	. Head Restraints (Present & Adjustable up/down)	0 0
9. Ignition Switch/Engine Start Button (Engine starts)	0 0	<b>0</b>		. Windows (Operation-noise, speed, full travel and glass)	<b>O</b> O
10. Instrument Panel Operation (Temp, fuel, speedometer gauge/All			44	. Rear/Sliding Doors (Operation, trim, panels, handles, latches,	
indicators illuminate "ON" position)				locks)	0 0
11. Dash (Condition, instrument panel, light and brightness)	0 0	0	45	. Cargo Light (Condition and operation) $\ \square$	0 0
12. Horn (Operation)					$\overline{}$
13. Steering Wheel (Condition, tilt, telescopic and lock mode)			C	Comments:	
14. Steering Wheel-Mounted Controls (Operation)					
15. Windshield Wipers/Washers (Aim, pressure–front/rear)					
16. Shifter (Check all shifting points–MT or AT)			_		
18. Hood Release (Operation)		0	Е.	and Francisco	
19. Trunk/Tailgate/Hatch Release (Operation)				ont Exterior MEETS STANDARDS: YES	
20. Fuel Door Release (Operation)				. Windshield Glass (Cracks, chips, pits, scratches, antenna)	<b>O</b> O
21. Seats (Operation and tracks)			47.	. Windshield Wiper Blades/Arms (Condition and high-/low-speed	
22. Seat Heaters (Operation and heating performance)				operation)	
23. Seat Belts (Belts, buckles, latches and retraction)	0 (	<b>o</b>		Headlights/Lenses (Condition and operation-moisture)	
24. Head Restraints (Present & Adjustable up/down)				Fog Lights/Lenses (Condition and operation)	
25. Windows (Operation-noise, speed, full travel and glass)				Daytime Running Lights/Lenses (Condition and operation)	
26. Front Doors (Operation, trim, panels, handles, latches, locks)	0 0	<b>-</b>	51.	. Turn Signal Lights/Lenses (Condition and operation)	0 0
27. Side Mirrors (Condition, operation, side-view camera–					$\overline{}$
if applicable)			C	Comments:	
28. Rearview Mirror (Operation, auto-dimming-if equipped)					
29. Sunroof/Shade/Glass (Condition and operation)					
30. Sun Visors/Mirrors (Condition-flip up, down/sideways)			_		
31. Interior Lights (Condition and operation)			D	ear Exterior MEETS STANDARDS: YES	
33. Audio System AM/FM/SXM/CD Radio (Operation, display, control	0 (	<u>,</u> 0	κe	ear Exterior MEETS STANDARDS: YES	NO N/A
panel, speakers)	0.0				0 0
34. Intelligent Multi-Information Display (Operation and display)				. Windshield Wiper Blade/Arm (Condition and operation)	0 0
35. Bluetooth* HandsFreeLink* (Perform voice commands—must pair					0 0
with phone)	0 0	0		. Taillights/Lenses (Condition and operation-moisture)	
36. Navigation System (Operation, display, clear all stored data)			56	Backup Lights/Lenses (Condition and operation)	0 0
37. Rearview Camera (Operation and display)			57.	. Turn Signal Lights/Lenses (Condition and operation)	0 0
38. Alarm/Theft-Deterrent System	0 (	<b>o</b>	58	Emergency Lights/Lenses (Condition and operation)	0 0
39. Cigarette Lighter/Power Outlets (if equipped)	0 0	0		License Plate Brackets/Light (Condition and operation)	
		_	60 61	. Fuel Door/Cap (Fuel door and cap operation—if applicable)	0 0
Comments:			01.	. Taci 2001/Cap (Luei door and cap operation—il applicable)	0 0
			1	Comments:	



Under Hood/Fluids	MEETS STANDARDS:	YES N	NO N/A	Bra	kes/Whe	els/Tire	es (Cont.)		MEETS STANDARDS:	YES N	IO N/
62. Hood Support/Prop Rod (Condition-holds hood up)							on, lug nut, torqı nimum tread dep		lve stem)	0 (	<b>)</b> C
64. Engine (Condition, operation, fluid le 65. Transmission Mount (Condition–brac	vel and leaks)	0 (	0 0		width, sidew				re)	0 (	<b>5</b> C
66. Transmission (Operation–MT or AT, fl	uid level, hoses and leaks)	0 (	<b>0</b>						ear exceeds 50%		
67. Clutch Master Cylinder (Operation, flu 68. Brake Master Cylinder/Booster (Fluid	level and leaks)	0 (	<b>O</b>		Rotor/Drum	(Replace	if damaged and	or wear is	s beyond service		
<ul><li>69. Brake System (Operation and leaks)</li><li>70. 12-Volt Battery (Condition and load to</li></ul>	est)	0 (	0 0						'A if not applicable	0 (	ם כ
71. Alternator (Belt condition, tension and 72. Water Pump (Noise and leaks)	d charge)	0 0	0 0		BRAKE PAD/SI	HOF	BRAKE RO	TOR .	BRAKE DRU	М	
73. Fuel Injectors (Condition-fuel lines at 74. Radiator (Fluid level, leaks and damage)											
75. Coolant Recovery Tank (Condition, flu 76. Coolant Hoses (Condition and leaks)	uid level and leaks)	. 0 (			8	mm	11	mm	N/A	r	nm
77. A/C Condenser (Corrosion and dama	ge)	. 0 (	0 0						lve stem)	0	<b>)</b> C
<ul><li>78. A/C Compressor (Proper cycling, belt</li><li>79. Power Steering (Belt condition, tensic</li></ul>				98.			inimum tread de ng/cuts, adjust ti		across tread ire)	0	<b>5</b> C
80. Differential Fluid (Check level and lea	ks)	0 (	0	_	nt-Rear	aa (Damla					
<ul><li>81. Washer Fluid (Check level and leaks).</li><li>82. Hydraulic Hose/Line (Cracks, kinks, lo</li></ul>				C	of minimum t	hickness)				0	<b>)</b> C
Comments:			$\neg$	100.					s beyond service	0	<b>5</b> C
Comments.				Reco	ord Measurer	ments Belo	ow in Millimeters	-Write N	/A if not applicable		
					BRAKE PAD/S	НОЕ	BRAKE RO	ror .	BRAKE DRU	М	
Under Vehicle	MEETS STANDARDS:	YES N	NO N/A		8	mm	11	mm	N/A	r	nm
83. Brake Calipers (Evidence of binding, 84. Suspension (Loose bolts, bent/broke				101.	Wheel (Che	ck conditi	on, lug nut, torgi	ue and va	lve stem)	0 1	
85. Universal/CV Joint/Boots/Driveshaft	(Cracks and leaks)	0 (	0 0		Tire (Uneve	n wear, mi	nimum tread de	oth 4/32"			
86. Exhaust System (Leaks, holes, dents,	cracks and hangers)				width, sidev	vali Cracki	ng/cuts, adjust ti	re pressu			, ,
Comments:					BRAKE PAD/S	HOE	BRAKE RO	TOR .	BRAKE DRU	М	
Comments:					BRAKE PAD/S	MM mm	BRAKE ROT	ror mm	BRAKE DRU		nm
					Spare Tire/T	mm ool Kit/Ti	re Repair Kits (Cl	mm neck cond	ditions and all	r	
Brakes/Wheels/Tires	MEETS STANDARDS:	YES N	NO N/A		Spare Tire/T	mm ool Kit/Ti	re Repair Kits (Cl	mm neck cond		r	
Brakes/Wheels/Tires Left-Front 87. Brake Pad/Shoe (Replace if damaged	and/or wear exceeds 50%			_	Spare Tire/T	mm ool Kit/Ti	re Repair Kits (Cl	mm neck cond	ditions and all	r	
Brakes/Wheels/Tires Left-Front	and/or wear exceeds 50%	0 (	<b>0</b>	_	Spare Tire/T tools preser	mm ool Kit/Ti	re Repair Kits (Cl	mm neck cond	ditions and all	r	
Brakes/Wheels/Tires Left-Front 87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits)	0 (	<b>0</b>	_	Spare Tire/T tools preser	mm ool Kit/Ti	re Repair Kits (Cl	mm neck cond	ditions and all	r	
Brakes/Wheels/Tires Left-Front 87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits)	0 (	<b>0</b>	Cor	Spare Tire/T tools preser mments:	mm  Tool Kit/Ti it)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	D C
Brakes/Wheels/Tires Left-Front 87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR	0 (		Cor Rep 104.	Spare Tire/T tools preser mments: Dlacemen Engine Air F	Tool Kit/Tint)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	0 N
Brakes/Wheels/Tires Left-Front 87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits)	0 (		Rep 104. 105.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter	Tool Kit/Tint)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	90 N/
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)	O (		Rep 104. 105.	Spare Tire/T tools preser mments: Dlacemen Engine Air F	Tool Kit/Tint)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	0 N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread		n	Rep 104. 105.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter	Tool Kit/Tint)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	0 N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread tire pressure)		n	Rep 104. 105.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter	Tool Kit/Tint)	re Repair Kits (Cl	mm neck cond	ditions and all	YES	0 N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits) BRAKE ROTOR 28 que and valve stem) epth 4/32" across tread tire pressure)	mn		Rep 104. 105. Co	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter mments:	t Items	re Repair Kits (Cl	mm neck cond	MEETS STANDARDS:	YES ! YES N	NO N/
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread tire pressure)  and/or wear exceeds 50%  ear is beyond service limits)	mn		Rep 104. 105. Co	Spare Tire/T tools preser mments:  Dlacemen Engine Air F Cabin Filter mments:  ad Test Engine Ope MT Clutch (S	t Items filter (Replace)	re Repair Kits (Cl	low spee	MEETS STANDARDS:	YES ! YES N	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread tire pressure)  d and/or wear exceeds 50%  ear is beyond service limits)  ers	mn		Rep 104. 105. Co	Spare Tire/T tools preser mments:  Dlacemen Engine Air F Cabin Filter mments:  ad Test Engine Ope MT Clutch (S Braking Syst	t Items tilter (Replace) (Replace)	re Repair Kits (Cl	low spee	MEETS STANDARDS:	YES ! YES ! O ( ) ( ) ( ) ( ) ( )	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread tire pressure)  and/or wear exceeds 50%  ear is beyond service limits)	mn		Rep 104. 105. Co Roa 106. 107. 108. 109. 110.	Spare Tire/T tools preser mments:  Dlacemen Engine Air F Cabin Filter mments:  ad Test Engine Ope MT Clutch (S Braking Syst Cruise Control Steering/Tire	t Items  tilter (Replace of Month 1988)  ration (Commonth 1988)  ration (System of System 1989)	re Repair Kits (Cl	low spee	MEETS STANDARDS:  MEETS STANDARDS:  dds)	YES ! YES N	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50%  ar is beyond service limits)  BRAKE ROTOR  28  que and valve stem)  epth 4/32" across tread tire pressure)  d and/or wear exceeds 50%  ear is beyond service limits)  ers	mn		Rep 104. 105. Co Roa 106. 107. 108. 109. 110.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter mments: ad Test Engine Ope MT Clutch (S Braking Syst Cruise Control Steering/Tir CV Joint/Dri	ration (Comoothnessem (Noiserol System e/Wheel (ve Axle N	re Repair Kits (Cl	low spee	MEETS STANDARDS: eds)	YES ! YES N YES N	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits) BRAKE ROTOR 28  que and valve stem)	mnn		Rep 104. 105. Co Roa 106. 107. 108. 109. 110.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter mments: ad Test Engine Ope MT Clutch (S Braking Syst Cruise Control Steering/Tir CV Joint/Dri	ration (Comoothnessem (Noiserol System e/Wheel (ve Axle N	re Repair Kits (Cl	low spee	MEETS STANDARDS:  MEETS STANDARDS:  dds)	YES ! YES N YES N	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N
Brakes/Wheels/Tires  Left-Front  87. Brake Pad/Shoe (Replace if damaged of minimum thickness)	and/or wear exceeds 50% ar is beyond service limits) BRAKE ROTOR 28  que and valve stem)	mnn		Rep 104. 105. Co Roa 106. 107. 108. 109. 110. 111. 112.	Spare Tire/T tools preser mments: Dlacemen Engine Air F Cabin Filter mments: ad Test Engine Ope MT Clutch (S Braking Syst Cruise Control Steering/Tir CV Joint/Dri	ration (Comoothnessem (Noiserol System e/Wheel (ve Axle N	re Repair Kits (Cl	low spee	MEETS STANDARDS: eds)	YES ! YES N YES N	NO N/O N/O N/O N/O N/O N/O N/O N/O N/O N



#### Technician Acknowledgment (Signature Required)

I certify that: i) I inspected all applicable items on this checklist; ii) all required reconditioning was performed and meets Honda Certified Pre-Owned Vehicle Program Standards for HondaTrue Used vehicles; and iii) this vehicle is eligible for certification as a HondaTrue Used vehicle. All items that did **not** meet program standards have been properly repaired with Honda Genuine Parts and thoroughly documented on the reconditioning repair order. All diagnostic trouble codes (DTCs) have been remedied and cleared, and all applicable campaigns and recalls have been properly completed prior to vehicle certification and delivery.

Technician: PETER RUSSO	DPTS #: <b>_P002656</b>	_ Signature:	Date: 10/31/2025
Dealer Management Ackn	owledgment (Signature Required	)	
certify that: i) all applicable items o	on this checklist were inspected; ii) all required Used vehicles; and iii) this vehicle is eligible for	reconditioning was performed and meets H	
Name (Print): CHRIS PINEAU	Signat	ture:	Date:
Please select your title:			
Dealer Principal	<ul><li>Dealership Manager</li></ul>	<ul><li>General Manager</li></ul>	<ul><li>General Sales Manager</li></ul>
⊃ Sales Manager	Business Office Manager	<ul><li>Service Manager</li></ul>	Pre-Owned Manager
Certified Program Standa	rds		
<ul> <li>Perform all required maintenance</li> <li>All fluids must be topped off</li> <li>All tires must be same size, brand,</li> </ul>	load, speed rating and free of damage	<ul> <li>OEM or non-OEM windshields containing and impairment of the driver's line of signer of the driver's line of signer of the driver's line of the</li></ul>	ht must be repaired and/or replaced. ust be replaced with either Honda
Documentation/Keys/Mar	nuals MEETS STANDARDS: YES NO N/A		MEETS STANDARDS: YES NO N/A
Check items provided to the custon		Check items provided to the customer d	
	0 0 0	G. Navigation Code #: (	)
	<sup>™</sup> or AutoCheck®) □ □ □	H. Radio Security Code #: (	) 🖸 🔘 🔘
		I. Keys (One OEM key remote)	
	Online	J. Valet Key (One key)	
'		Comments:	
	Online	Comments.	
	Online		
apo			
Customer Acknowledgme	nt (Signature Required)		
All applicable items checked above	(A through J) have been reviewed with and pr	ovided to me by the dealership at the time of	vehicle delivery.
Customer Name (Print):		. Signature:	Date: