

Dealer	Name:	GRAPPONE HONDA	
Dealer #:	206958		

Vehicle Information

 Year:
 2016
 Model:
 CR-V
 VIN:
 5J6RM4H30GL109871

 Mileage:
 92018
 Color:
 MODERN STEEL METALLIC

 Stock #:
 HR0209B
 Repair Order #:
 676384





VIN Verification		Eligible	Not Eligible	VEHICLES REPORTED WITH THE FOLLOWING ARE NOT ELIGIBLE FOR CERTIFICA	ATION
1. Vehicle History Report (VHR cannot have any conditions listed on the	right	:) 0	0	- Odometer Rollback - Hail/Fire/Flood Damage	
2. VIN Status Inquiry (All open campaigns/recalls must be completed))	0	0	- Not Actual Mileage - Dismantled/Reconstructed	
3. VIN Plates (All VIN plates must match engine compartment,				- Exceeds Mechanical Limits - Branded/Junked/Salvaged Title	
doorjamb and dash)		0	0	- Manufacturer Buyback - Airbag Deployment/Gray Market	
Unibody		Eligible	Not Eligible	VEHICLES WITH UNIBODY DAMAGE ARE NOT ELIGIBLE FOR CERTIFICATION:	
4. Frame (Carefully inspect the vehicle for any prior structural damage	e)	0	0	Report any visible signs of unibody damage to the Service Manager.	
Vehicle Diagnostics			Not	VEHICLES WITH AFTER-MARKET ITEMS ARE NOT ELIGIBLE FOR CERTIFICATIO	
5. Check for Diagnostic Trouble Codes (DTC)		Eligible	Eligible		
5. Check for Diagnostic frouble Codes (DTC)		. U	0	Refer to the certified program standards on page 4 of this checklist.	
Front Interior MEETS STANDARDS:	YES N	IO N/A	Re	ear Interior MEETS STANDARDS: YES	NO N/A
6. Key Remotes, at least one (Unlock, lock and panic buttons)	0 (0	40	. Seats (Upholstery condition, operation and tracks)	0 0
7. Keyless Entry System (Driver's-door button-unlock/lock)				. Seat Belts (Belts, buckles, latches, anchors and retraction)	
8. SRS Airbags (Exterior condition/Check warning lamp self-check)	0 (42	. Head Restraints (Present & Adjustable up/down)	0 0
9. Ignition Switch/Engine Start Button (Engine starts)	0 0	0		. Windows (Operation-noise, speed, full travel and glass)	O O
10. Instrument Panel Operation (Temp, fuel, speedometer gauge/All			44	. Rear/Sliding Doors (Operation, trim, panels, handles, latches,	
indicators illuminate "ON" position)				locks)	0 0
11. Dash (Condition, instrument panel, light and brightness)	0 0	0	45	. Cargo Light (Condition and operation) $\ \square$	0 0
12. Horn (Operation)					$\overline{}$
13. Steering Wheel (Condition, tilt, telescopic and lock mode)			C	Comments:	
14. Steering Wheel-Mounted Controls (Operation)					
15. Windshield Wipers/Washers (Aim, pressure–front/rear)					
16. Shifter (Check all shifting points–MT or AT)			_		
18. Hood Release (Operation)		0	Е.	and Francisco	
19. Trunk/Tailgate/Hatch Release (Operation)				ont Exterior MEETS STANDARDS: YES	
20. Fuel Door Release (Operation)				. Windshield Glass (Cracks, chips, pits, scratches, antenna)	O O
21. Seats (Operation and tracks)			47.	. Windshield Wiper Blades/Arms (Condition and high-/low-speed	
22. Seat Heaters (Operation and heating performance)				operation)	
23. Seat Belts (Belts, buckles, latches and retraction)	0 (o		Headlights/Lenses (Condition and operation-moisture)	
24. Head Restraints (Present & Adjustable up/down)				Fog Lights/Lenses (Condition and operation)	
25. Windows (Operation-noise, speed, full travel and glass)				Daytime Running Lights/Lenses (Condition and operation)	
26. Front Doors (Operation, trim, panels, handles, latches, locks)	0 0	-	51.	. Turn Signal Lights/Lenses (Condition and operation)	0 0
27. Side Mirrors (Condition, operation, side-view camera–					$\overline{}$
if applicable)			C	Comments:	
28. Rearview Mirror (Operation, auto-dimming-if equipped)					
29. Sunroof/Shade/Glass (Condition and operation)					
30. Sun Visors/Mirrors (Condition-flip up, down/sideways)			_		
31. Interior Lights (Condition and operation)			D	ear Exterior MEETS STANDARDS: YES	
33. Audio System AM/FM/SXM/CD Radio (Operation, display, control	0 (<u>,</u> 0	κe	ear Exterior MEETS STANDARDS: YES	NO N/A
panel, speakers)	0.0				0 0
34. Intelligent Multi-Information Display (Operation and display)				. Windshield Wiper Blade/Arm (Condition and operation)	0 0
35. Bluetooth* HandsFreeLink* (Perform voice commands—must pair					0 0
with phone)	0 0	0		. Taillights/Lenses (Condition and operation-moisture)	
36. Navigation System (Operation, display, clear all stored data)			56	Backup Lights/Lenses (Condition and operation)	0 0
37. Rearview Camera (Operation and display)			57.	. Turn Signal Lights/Lenses (Condition and operation)	0 0
38. Alarm/Theft-Deterrent System	0 (o	58	Emergency Lights/Lenses (Condition and operation)	0 0
39. Cigarette Lighter/Power Outlets (if equipped)	0 0	0		License Plate Brackets/Light (Condition and operation)	
		_	60 61	. Fuel Door/Cap (Fuel door and cap operation—if applicable)	0 0
Comments:			01.	. Taci 2001/Cap (Luei door and cap operation—il applicable)	0 0
			1	Comments:	



Under Hood/Fluids	MEETS STANDARDS:	YES NO 1	_{N/A} Br	akes/Wheel	s/Tire	es (Cont.)		MEETS STANDARDS:	YES N	O N//
62. Hood Support/Prop Rod (Condition-holds hood up)		0 0	O 94	. Tire (Uneven w	ear, mir	nimum tread dep	oth 4/32"			
65. Transmission Mount (Condition-brack 66. Transmission (Operation–MT or AT, flu	et, rubber bushing)id level, hoses and leaks)	0 0	Le95	ft-Rear . Brake Pad/Sho	e (Repla	ace if damaged a	and/or we			
67. Clutch Master Cylinder (Operation, fluid level and leaks)		0 0	□ 96 □	. Rotor/Drum (R	eplace i	, if damaged and/	or wear is	s beyond service		
70. 12-Volt Battery (Condition and load tes 71. Alternator (Belt condition, tension and	charge)	0 0	0	cord Measureme	nts Belo	ow in Millimeters-	-Write N/	A if not applicable		
72. Water Pump (Noise and leaks)	72. Water Pump (Noise and leaks) 73. Fuel Injectors (Condition–fuel lines and hoses)		0 0	BRAKE PAD/SHOE		BRAKE ROTOR		BRAKE DRUM		
74. Radiator (Fluid level, leaks and damage 75. Coolant Recovery Tank (Condition, fluid				8	mm	10	mm	N/A	n	nm
76. Coolant Hoses (Condition and leaks) 77. A/C Condenser (Corrosion and damag				. Wheel (Check	conditi	on, lug nut, torqı	ue and va	lve stem)	0 0) C
78. A/C Compressor (Proper cycling, belt of 79. Power Steering (Belt condition, tension	condition and tension)		o 98	 Tire (Uneven w width, sidewal 				across tread re)	0 0	. c
80. Differential Fluid (Check level and leak 81. Washer Fluid (Check level and leaks)	s)	0 0	o Rig	ght-Rear '. Brake Pad/Shoe		,	·			
82. Hydraulic Hose/Line (Cracks, kinks, loo			0	of minimum thic	ckness).				0 0	ם כ
Comments:] 10	0. Rotor/Drum (R limits)				s beyond service	0 0) C
			Re	cord Measureme	nts Belo	ow in Millimeters	-Write N/	'A if not applicable		
			J	BRAKE PAD/SHO	E	BRAKE ROT	OR	BRAKE DRU	М	
Under Vehicle	MEETS STANDARDS:	YES NO N	N/A	8	mm	10	mm	N/A	n	nm
83. Brake Calipers (Evidence of binding, lo 84. Suspension (Loose bolts, bent/broken				1. Wheel (Check	conditio	on, lug nut, torqu	ue and val	lve stem)	0 (. .
85. Universal/CV Joint/Boots/Driveshaft (6 86. Exhaust System (Leaks, holes, dents, ca	Cracks and leaks)	0 0	_O 10	Tire (Uneven w width, sidewal				across tread re)	0 (ם כ
	racks and nangers,		<u> </u>	BRAKE PAD/SHO		BRAKE ROT	·	BRAKE DRU		
Comments:				JIII III ZIVI JI	mm		mm	3111 1112 3113		nm
			J							
						D . I/: /CI				
Brakes/Wheels/Tires	MEETS STANDARDS:	YES NO I		3. Spare Tire/Too tools present).				ditions and all	0 0	ם כ
Left-Front 87. Brake Pad/Shoe (Replace if damaged a	and/or wear exceeds 50%		N/A						0 0) C
Left-Front	and/or wear exceeds 50%	0 0	N/A	tools present).					0 () C
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	and/or wear exceeds 50% r is beyond service limits)	0 0	N/A	tools present).					0 ()
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	and/or wear exceeds 50% r is beyond service limits)	0 0	C C Re	omments:	tems			MEETS STANDARDS:	YES N	10 N/
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	and/or wear exceeds 50% r is beyond service limits) s	0 0	Real 10	omments: eplacement I 4. Engine Air Filte	tems er (Repl	ace if dirty)			YES N	10 N/
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	r is beyond service limits) BRAKE ROTOR 25 Le and valve stem)	mm	Rec 10 10	omments: eplacement I 4. Engine Air Filte	tems er (Repl	ace if dirty)		MEETS STANDARDS:	YES N	10 N/
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	r is beyond service limits) BRAKE ROTOR 25 Lee and valve stem)	mm	Rec 10 10	omments: eplacement I 4. Engine Air Filte 5. Cabin Filter (Re	tems er (Repl	ace if dirty)		MEETS STANDARDS:	YES N	10 N/
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	r is beyond service limits) BRAKE ROTOR 25 Lue and valve stem)	mm	Real 10 10 CC	eplacement I 4. Engine Air Filte 5. Cabin Filter (Re	tems er (Repl	ace if dirty)		MEETS STANDARDS:	YES N	do N/
Left-Front 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	r is beyond service limits) BRAKE ROTOR 25 ue and valve stem)	mm	Re 10 10 10 CC	eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments:	tems er (Replace i	ace if dirty) f dirty) f dirty) dirty) ld/hot/high and	low spee	MEETS STANDARDS: MEETS STANDARDS:	YES N YES N YES N	10 N/
Record Measurements Below in Millimeters 89. Wheel (Check condition, lug nut, torque) 90. Tire (Uneven wear, minimum tread der width, sidewall cracking/cuts, adjust till Right-Front) 91. Brake Pad/Shoe (Replace if damaged and/or wear) 92. Track (Replace if damaged and/or wear) 93. Wheel (Check condition, lug nut, torque) 94. Tire (Uneven wear, minimum tread der width, sidewall cracking/cuts, adjust till Right-Front) 95. Brake Pad/Shoe (Replace if damaged and of minimum thickness)	prind/or wear exceeds 50% r is beyond service limits) BRAKE ROTOR 25 Lue and valve stem) both 4/32" across tread re pressure) and/or wear exceeds 50% ar is beyond service limits)	mm	Re 10 10 10 10 10 10 10 10 10 10 10 10 10	eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments: Dad Test 6. Engine Operat 7. MT Clutch (Smo	tems er (Replace i	ace if dirty) f dirty) f dirty) according to the second sec	low spee	MEETS STANDARDS:	YES N	00 N/
Record Measurements Below in Millimeters 89. Wheel (Check condition, lug nut, torque) 90. Tire (Uneven wear, minimum tread dewidth, sidewall cracking/cuts, adjust titte Right-Front) 91. Brake Pad/Shoe (Replace if damaged and/or wear) 92. Rotor (Replace if damaged and/or wear) 93. Rotor (Replace if damaged and/or wear) 94. Rotor (Replace if damaged and/or wear)	prind/or wear exceeds 50% r is beyond service limits) BRAKE ROTOR 25 Lue and valve stem) both 4/32" across tread re pressure) and/or wear exceeds 50% ar is beyond service limits)	mm	Rec 10 10 10 10 10 10 10 10 10 10 10 10 10	eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments: Dad Test 6. Engine Operat 7. MT Clutch (Smo 8. Braking Systen 9. Cruise Control	tems er (Replace i	ace if dirty) f dirty) f dirty) ld/hot/high and ss, effort and slip e, vibration and e	low spee page) ffort)	MEETS STANDARDS: MEETS STANDARDS: ds)	YES N () () () () () () () () () (00 N/
Record Measurements Below in Millimeters 87. Brake Pad/Shoe (Replace if damaged a of minimum thickness)	prind/or wear exceeds 50% r is beyond service limits) BRAKE ROTOR 25 Lue and valve stem)	mm	Rec 10 10 10 10 10 10 10 11 11 11 11 11 11	tools present). omments: eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments: oad Test 6. Engine Operat 7. MT Clutch (Smc 8. Braking Systen 9. Cruise Control 0. Steering/Tire/ 1. CV Joint/Drive	tems er (Replace i eplace i n (Noise System Wheel (A	ace if dirty) f	low spee page) ffort) I and st ion and st rn left/rig	MEETS STANDARDS: MEETS STANDARDS: ds)	YES N () () () () () () () () () (10 N/
Record Measurements Below in Millimeters 89. Wheel (Check condition, lug nut, torque) 90. Tire (Uneven wear, minimum tread dep width, sidewall cracking/cuts, adjust ti Right-Front 91. Brake Pad/Shoe (Replace if damaged and/or wear) 92. Rotor (Replace if damaged and/or wear) 93. Rotor (Replace if damaged and/or wear) 94. Rotor (Replace if damaged and/or wear) 95. Rotor (Replace if damaged and/or wear) 96. Rotor (Replace if damaged and/or wear) 97. Rotor (Replace if damaged and/or wear) 98. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear)	r is beyond service limits)s BRAKE ROTOR 25 Lue and valve stem)	mm	Rec 10 10 10 10 10 11 11: 11:	eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments: Dad Test 6. Engine Operat 7. MT Clutch (Smo 8. Braking Systen 9. Cruise Control 0. Steering/Tire/\(\) 1. CV Joint/Drive 2. Vehicle Drift/Pr	tems er (Replace i eplace i n (Noise System Wheel (A	ace if dirty) f	low spee page) ffort) I and st ion and st rn left/rig	MEETS STANDARDS: MEETS STANDARDS: ds)	YES N () () () () () () () () () (10 N/
Record Measurements Below in Millimeters 89. Wheel (Check condition, lug nut, torque) 90. Tire (Uneven wear, minimum tread dep width, sidewall cracking/cuts, adjust ti Right-Front 91. Brake Pad/Shoe (Replace if damaged and/or wear) 92. Rotor (Replace if damaged and/or wear) 93. Rotor (Replace if damaged and/or wear) 94. Rotor (Replace if damaged and/or wear) 95. Rotor (Replace if damaged and/or wear) 96. Rotor (Replace if damaged and/or wear) 97. Rotor (Replace if damaged and/or wear) 98. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear) 99. Rotor (Replace if damaged and/or wear)	r is beyond service limits)s BRAKE ROTOR 25 Lue and valve stem)	mm	Rec 10 10 10 10 10 11 11: 11:	tools present). omments: eplacement I 4. Engine Air Filte 5. Cabin Filter (Re Comments: oad Test 6. Engine Operat 7. MT Clutch (Smc 8. Braking Systen 9. Cruise Control 0. Steering/Tire/ 1. CV Joint/Drive	tems er (Replace i eplace i n (Noise System Wheel (A	ace if dirty) f	low spee page) ffort) I and st ion and st rn left/rig	MEETS STANDARDS: MEETS STANDARDS: ds)	YES N () () () () () () () () () (10 N/



Technician Acknowledgment (Signature Required)

I certify that: i) I inspected all applicable items on this checklist; ii) all required reconditioning was performed and meets Honda Certified Pre-Owned Vehicle Program Standards for HondaTrue Used vehicles; and iii) this vehicle is eligible for certification as a HondaTrue Used vehicle. All items that did **not** meet program standards have been properly repaired with Honda Genuine Parts and thoroughly documented on the reconditioning repair order. All diagnostic trouble codes (DTCs) have been remedied and cleared, and all applicable campaigns and recalls have been properly completed prior to vehicle certification and delivery.

Technician: CHRISTOPHER STEVENS	DPTS #: P005620	Signature:	Date: 10/8/2025
Dealer Management Admin	ula dama ant (Ciamatuna Damuina	مار مار	1
I certify that: i) all applicable items on t		d reconditioning was performed and meets l or certification as a HondaTrue Used vehicle a	
Name (Print): BRANDON CLARK	Signa	ature:	
Please select your title:			
 Dealer Principal 	Dealership Manager	General Manager	General Sales Manager
□ Sales Manager	Business Office Manager	Service Manager	Pre-Owned Manager
Certified Program Standard • Perform all required maintenance • All fluids must be topped off • All tires must be same size, brand, loading the same size in		 OEM or non-OEM windshields contain and impairment of the driver's line of si If a windshield cannot be repaired, it n OEM or comparable aftermarket wind 	ght must be repaired and/or replaced. nust be replaced with either Honda
Documentation/Keys/Manu	als MEETS STANDARDS: YES NO N/A		MEETS STANDARDS: YES NO N/A
Check items provided to the customer	r during vehicle delivery:	Check items provided to the customer	
		G. Navigation Code #: () 🖸 💆 🖸
	or AutoCheck*)	H. Radio Security Code #: (I. Keys (One OEM key remote)	
D. Owner's Manual	nline	J. Valet Key (One key)	
	nline 0 0	Comments:	
	nline		
Customer Acknowledgment All applicable items checked above (A		provided to me by the dealership at the time o	of vehicle delivery.
Customer Name (Print):		Signature:	Date: