



HONDA

Certified
Pre-Owned

182-Point Inspection Checklist

Dealer Name: **WASHINGTON HONDA**

Dealer #: **207006**

Program Plan: **HONDATRUE CERTIFIED**

Vehicle Information

Year: **2022** Model: **CR-V** VIN: **5J6RW2H58NL004850**

Mileage: **38906** Color: _____

Stock #: **H204850** Repair Order #: **372043**

182-Point Inspection Checklist



VIN Verification

1. Vehicle History Report (VHR cannot have any conditions listed to the right)
2. VIN Status Inquiry (All open campaigns/recalls must be completed)
3. VIN Plates (All VIN plates must match engine compartment, doorjamb and dash)
4. FMVSS and Tire Label (Both labels must be on the driver-side B-pillar)

Unibody

5. Frame (Carefully inspect the vehicle for any prior structural damage)

After-Market Accessories/Modifications

6. After-Market Accessories (Inspect vehicle for any after-market components)
(Only Genuine Honda Factory accessories or accessory kits are acceptable on Honda Certified Pre-Owned Vehicles)

Front Interior

- | | MEETS STANDARDS: YES NO N/A | | |
|---|-----------------------------|--------------------------|--------------------------|
| 7. Key Remotes (Unlock, lock and panic buttons) | ☐ | ☐ | ☐ |
| 8. Keyless Entry System (Driver door button - unlock/lock) | ☐ | ☐ | ☐ |
| 9. Ignition Switch/Engine Start Button (Engine starts) | ☐ | ☐ | ☐ |
| 10. ECON Button (Operation - displays on dash) | ☐ | ☐ | ☐ |
| 11. Door Chime (Operation) | ☐ | ☐ | ☐ |
| 12. Instrumentation (All indicators illuminate "ON" position) | ☐ | ☐ | ☐ |
| 13. Dash (Condition, instrument panel, light and brightness) | ☐ | ☐ | ☐ |
| 14. Temperature/Fuel Gauge (Operation and needles) | ☐ | ☐ | ☐ |
| 15. Speedometer/Tachometer (Operation, needles and RPMs) | ☐ | ☐ | ☐ |
| 16. Clock (Operation and display) | ☐ | ☐ | ☐ |
| 17. Compass (Operation and display) | ☐ | ☐ | ☐ |
| 18. Horn (Operation) | ☐ | ☐ | ☐ |
| 19. Steering Wheel (Condition, tilt, telescopic and lock mode) | ☐ | ☐ | ☐ |
| 20. Steering Wheel-Mounted Controls (Operation) | ☐ | ☐ | ☐ |
| 21. Windshield Wipers/Washers (Aim, pressure - front/rear) | ☐ | ☐ | ☐ |
| 22. Shifter (Check all shifting points - MT or AT) | ☐ | ☐ | ☐ |
| 23. Backup/Parking Sensors (Operation only - front/rear) | ☐ | ☐ | ☐ |
| 24. Parking Brake (Engages and displays on dash) | ☐ | ☐ | ☐ |
| 25. Hood Release (Operation) | ☐ | ☐ | ☐ |
| 26. Trunk/Tailgate/Hatch Release (Operation) | ☐ | ☐ | ☐ |
| 27. Fuel Door Release (Operation) | ☐ | ☐ | ☐ |
| 28. Carpet (Condition - must be clean and free of damage) | ☐ | ☐ | ☐ |
| 29. Floor Mat Retention Hooks (Secure floor mats properly) | ☐ | ☐ | ☐ |
| 30. Center Console (Condition - opens, closes and locks) | ☐ | ☐ | ☐ |
| 31. Glove Box (Condition - opens, closes and locks) | ☐ | ☐ | ☐ |
| 32. Beverage Holders (Condition - must be clean) | ☐ | ☐ | ☐ |
| 33. Coin Holder (Condition - must be clean) | ☐ | ☐ | ☐ |
| 34. Armrest/Side Pockets (Condition - must be clean) | ☐ | ☐ | ☐ |
| 35. Seats (Upholstery condition, operation and tracks) | ☐ | ☐ | ☐ |
| 36. Seat Heaters (Operation and heating performance) | ☐ | ☐ | ☐ |
| 37. Seat Belts (Belts, buckles, latches and retraction) | ☐ | ☐ | ☐ |
| 38. Headrests (Adjustment - up/down) | ☐ | ☐ | ☐ |
| 39. Windows (Operation - noise, speed, full travel and glass) | ☐ | ☐ | ☐ |
| 40. Front Doors (Operation, trim, panels, handles, latches, locks) | ☐ | ☐ | ☐ |
| 41. Side Mirrors (Condition, operation, side-view camera - if applicable) | ☐ | ☐ | ☐ |
| 42. Side Mirror Blinkers (Condition and operation) | ☐ | ☐ | ☐ |
| 43. Rearview Mirror (Operation, auto-dimming - if equipped) | ☐ | ☐ | ☐ |
| 44. Headliner (Condition - must be clean and free of damage) | ☐ | ☐ | ☐ |
| 45. Sunglasses Holder (Condition - opens/closes) | ☐ | ☐ | ☐ |
| 46. Sunroof/Shade/Glass (Condition and operation) | ☐ | ☐ | ☐ |
| 47. Sun Visors/Mirrors (Condition - flip up, down/sideways) | ☐ | ☐ | ☐ |
| 48. Courtesy/Map Lights (Condition and operation) | ☐ | ☐ | ☐ |
| 49. AC/Heater/Defroster (Operation and vent outlets) | ☐ | ☐ | ☐ |
| 50. AM/FM/XM Radio (Operation, display, control panel, speakers) | ☐ | ☐ | ☐ |
| 51. Multimedia (CD player, USB port and MP3 auxiliary jack) | ☐ | ☐ | ☐ |
| 52. Hard Disk Drive (Clear all previously stored data) | ☐ | ☐ | ☐ |
| 53. Intelligent Multi-Information Display (Operation and display) | ☐ | ☐ | ☐ |
| 54. HondaLink® (Operation - Aha™ and Pandora® - must pair with phone) | ☐ | ☐ | ☐ |
| 55. Bluetooth® Streaming Audio (Operation - must pair with phone) | ☐ | ☐ | ☐ |
| 56. Bluetooth® HandsFreeLink® (Perform voice commands - must pair with phone) | ☐ | ☐ | ☐ |
| 57. Navigation System (Operation, display, clear all stored data) | ☐ | ☐ | ☐ |
| 58. Rearview Camera (Operation and display) | ☐ | ☐ | ☐ |
| 59. DVD Player (Operation and control panel) | ☐ | ☐ | ☐ |

Comments:

VEHICLES REPORTED WITH THE FOLLOWING ARE NOT ELIGIBLE FOR CERTIFICATION:

☐ - Odometer Rollback	☐ - Hail/Fire/Flood Damage
☐ - Not Actual Mileage	☐ - Dismantled/Reconstructed
☐ - Exceeds Mechanical Limits	☐ - Branded/Junked/Salvaged Title
☐ - Manufacturer Buyback	☐ - Airbag Deployment/Gray Market

VEHICLES WITH UNIBODY DAMAGE ARE NOT ELIGIBLE FOR CERTIFICATION
Report any visible signs of unibody damage to the Service Manager.

VEHICLES WITH AFTER-MARKET ITEMS ARE NOT ELIGIBLE FOR CERTIFICATION
Non-OEM glass is acceptable only if it meets HCPV program standards.
☐ Refer to the certified program standards on page 4 of this checklist.

Rear Interior

- | | MEETS STANDARDS: YES NO N/A | | |
|---|-----------------------------|--------------------------|--------------------------|
| 60. Rear Entertainment System (Operation, screen display and audio) .. | ☐ | ☐ | ☐ |
| 61. Carpet (Condition - must be clean and free of damage) | ☐ | ☐ | ☐ |
| 62. Floor Mat Retention Hooks (Secure floor mats properly) | ☐ | ☐ | ☐ |
| 63. Beverage Holders (Condition - must be clean) | ☐ | ☐ | ☐ |
| 64. Armrest/Side/Seat Pockets (Condition - must be clean) | ☐ | ☐ | ☐ |
| 65. Seats (Upholstery condition, operation and tracks) | ☐ | ☐ | ☐ |
| 66. Seat Belts (Belts, buckles, latches, anchors and retraction) | ☐ | ☐ | ☐ |
| 67. Headrests (Adjustment - up/down) | ☐ | ☐ | ☐ |
| 68. Windows (Operation - noise, speed, full travel and glass) | ☐ | ☐ | ☐ |
| 69. Integrated Sunshades (Operation - up/down/hook properly) | ☐ | ☐ | ☐ |
| 70. Rear/Sliding Doors (Operation, trim, panels, handles, latches, locks) | ☐ | ☐ | ☐ |
| 71. Dome/Map Lights (Condition and operation) | ☐ | ☐ | ☐ |
| 72. Cargo Light (Condition and operation) | ☐ | ☐ | ☐ |
| 73. Cargo Privacy Cover (Retracts and hooks properly) | ☐ | ☐ | ☐ |
| 74. Cargo/Luggage Compartment (Condition - must be clean) | ☐ | ☐ | ☐ |
| 75. In-Bed Trunk® (Condition and operation - Ridgeline) | ☐ | ☐ | ☐ |
| 76. Dual-Action Tailgate (Condition and operation - Ridgeline) | ☐ | ☐ | ☐ |
| 77. HondaVAC® (2014 and newer - Odyssey Touring Elite®) | ☐ | ☐ | ☐ |

Comments:

Front Exterior

- | | MEETS STANDARDS: YES NO N/A | | |
|--|-----------------------------|--------------------------|--------------------------|
| 78. Windshield Glass (Cracks, chips, pits, scratches, antenna) | ☐ | ☐ | ☐ |
| 79. Windshield Wiper Blades/Arms (Condition and operation) | ☐ | ☐ | ☐ |
| 80. Hood (Paint finish and quality) | ☐ | ☐ | ☐ |
| 81. Honda Emblem (Condition - missing or damaged) | ☐ | ☐ | ☐ |
| 82. Grille (Condition) | ☐ | ☐ | ☐ |
| 83. Front Bumper (Paint finish and quality) | ☐ | ☐ | ☐ |
| 84. Front Fenders (Paint finish and quality) | ☐ | ☐ | ☐ |
| 85. Headlights/Lenses (Condition and operation - moisture) | ☐ | ☐ | ☐ |
| 86. Fog Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 87. Daytime Running Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 88. Turn Signal Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 89. Front Doors (Paint finish and quality) | ☐ | ☐ | ☐ |
| 90. Side Mirrors (Paint finish and quality) | ☐ | ☐ | ☐ |
| 91. Roof (Paint finish and quality) | ☐ | ☐ | ☐ |

Comments:

Rear Exterior

- | | MEETS STANDARDS: YES NO N/A | | |
|--|-----------------------------|--------------------------|--------------------------|
| 92. Windshield Glass (Cracks, chips, pits, and scratches) | ☐ | ☐ | ☐ |
| 93. Windshield Wiper Blade/Arm (Condition and operation) | ☐ | ☐ | ☐ |
| 94. Trunk/Tailgate/Hatch (Paint finish, quality - tailgate button) | ☐ | ☐ | ☐ |
| 95. Honda Emblems (Condition - missing or damaged) | ☐ | ☐ | ☐ |
| 96. Brake Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 97. Taillights/Lenses (Condition and operation - moisture) | ☐ | ☐ | ☐ |
| 98. Backup Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 99. Turn Signal Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |
| 100. Emergency Lights/Lenses (Condition and operation) | ☐ | ☐ | ☐ |

182-Point Inspection Checklist

Rear Exterior Continued

MEETS STANDARDS: YES NO N/A

101. Integrated Bed Lights/Lenses (Condition and operation - Ridgeline) ☐ ☐ ☐
102. License Plate Brackets/Light (Condition and operation) ☐ ☐ ☐
103. Emergency Flashers/Reflectors (Condition and operation) ☐ ☐ ☐
104. Backup/Parking Sensors (Condition only - front/rear) ☐ ☐ ☐
105. Rear Bumper (Paint finish and quality) ☐ ☐ ☐
106. Rear Fenders/Quarter Panels (Paint finish and quality) ☐ ☐ ☐
107. Rear/Sliding Doors (Paint finish and quality) ☐ ☐ ☐
108. Exhaust(s) (Condition - loose or damaged) ☐ ☐ ☐
109. Fuel Door/Cap (Fuel door and cap operation - if applicable) ☐ ☐ ☐

Comments:

Under Hood/Fluids

MEETS STANDARDS: YES NO N/A

110. Hood Support/Prop Rod (Condition - holds hood up) ☐ ☐ ☐
111. Hood Support Struts (Hold hood up) ☐ ☐ ☐
112. Engine Compartment (Condition - must be clean) ☐ ☐ ☐
113. Engine Valve Train (Excessive or abnormal noise) ☐ ☐ ☐
114. Engine Mounts (Condition - cracks/tears in the rubber) ☐ ☐ ☐
115. Engine (Condition, operation, fluid level and leaks) ☐ ☐ ☐
116. Transmission Mount (Condition - bracket, rubber bushing) ☐ ☐ ☐
117. Transmission (Operation - MT or AT, fluid level and leaks) ☐ ☐ ☐
118. Clutch Master Cylinder (Operation and leaks) ☐ ☐ ☐
119. Brake Master Cylinder/Booster (Fluid level and leaks) ☐ ☐ ☐
120. Brake System (Operation and leaks) ☐ ☐ ☐
121. 12-Volt Battery (Condition and load test) ☐ ☐ ☐
122. High-Voltage Battery (Diagnostic Trouble Codes [DTCs]) ☐ ☐ ☐
123. Alternator (Belt condition, tension and charge) ☐ ☐ ☐
124. Water Pump (Noise and leaks) ☐ ☐ ☐
125. Fuel Injectors (Condition - fuel lines and hoses) ☐ ☐ ☐
126. Radiator (Leaks and damage) ☐ ☐ ☐
127. Coolant Recovery Tank (Condition, fluid level and leaks) ☐ ☐ ☐
128. Cooling Fan (Operation - run engine until fan turns on) ☐ ☐ ☐
129. Coolant Hoses (Condition and leaks) ☐ ☐ ☐
130. AC Condenser (Corrosion and damage) ☐ ☐ ☐
131. AC Compressor (Proper cycling, belt condition and tension) ☐ ☐ ☐
132. Power Steering (Belt condition, tension, fluid level and leaks) ☐ ☐ ☐
133. Electric Power Steering (Operation) ☐ ☐ ☐
134. Differential Fluid (Check level and leaks) ☐ ☐ ☐
135. Washer Fluid (Check level and leaks) ☐ ☐ ☐

Comments:

Under Vehicle

MEETS STANDARDS: YES NO N/A

136. Brake Calipers (Evidence of binding, loose bolts and leaks) ☐ ☐ ☐
137. Hydraulic Hose/Line (Cracks, kinks, loose bolts and leaks) ☐ ☐ ☐
138. Suspension (Loose bolts, bent/broken control arms) ☐ ☐ ☐
139. Bushings (Evidence of cracks, wear or damage) ☐ ☐ ☐
140. Universal/CV Joint/Boots/Driveshaft (Cracks and leaks) ☐ ☐ ☐
141. Exhaust System (Leaks, holes, dents, cracks and hangers) ☐ ☐ ☐

Comments:

Brakes/Wheels/Tires

MEETS STANDARDS: YES NO N/A

Left-Front

142. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
143. Rotor (Replace if damaged and/or wear is beyond service limits) .. ☐ ☐ ☐

Record Measurements Below in Millimeters

BRAKE PAD/SHOE		BRAKE ROTOR	
8	mm	new	mm

Brakes/Wheels/Tires Continued

MEETS STANDARDS: YES NO N/A

144. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
145. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Right-Front

146. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
147. Rotor (Replace if damaged and/or wear is beyond service limits) ... ☐ ☐ ☐

Record Measurements Below in Millimeters

BRAKE PAD/SHOE		BRAKE ROTOR	
8	mm	new	mm

148. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
149. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Left-Rear

150. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
151. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters - Write N/A if not applicable

BRAKE PAD/SHOE		BRAKE ROTOR		BRAKE DRUM	
10	mm	new	mm	n/a	mm

152. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
153. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐

Right-Rear

154. Brake Pad/Shoe (Replace if damaged and/or wear exceeds 50% of minimum thickness) ☐ ☐ ☐
155. Rotor/Drum (Replace if damaged and/or wear is beyond service limits) ☐ ☐ ☐

Record Measurements Below in Millimeters - Write N/A if not applicable

BRAKE PAD/SHOE		BRAKE ROTOR		BRAKE DRUM	
10	mm	new	mm	n/a	mm

156. Wheel (Check condition, lug nut, torque and valve stem) ☐ ☐ ☐
157. Tire (Uneven wear, minimum tread depth 5/32" across tread width, sidewall cracking/cuts, adjust tire pressure) ☐ ☐ ☐
158. Spare Tire/Tool Kit (Check condition and all tools present) ☐ ☐ ☐

Comments:

Replacement Items

MEETS STANDARDS: YES NO N/A

159. Engine Air Filter (Replace if dirty) ☐ ☐ ☐
160. Cabin Filter (Replace if dirty) ☐ ☐ ☐
161. Front Wiper Blades (Must wipe the windshield clean) ☐ ☐ ☐
162. Rear Wiper Blade (Must wipe the windshield clean) ☐ ☐ ☐
163. Floor Mats (Install new if missing, stained or damaged) ☐ ☐ ☐
164. Two Master Keys (Replace if missing or damaged) ☐ ☐ ☐
165. Two OEM Key Remotes (Replace if missing or damaged) ☐ ☐ ☐
166. Valet Key (Replace if missing or damaged) ☐ ☐ ☐
167. Navigation CD (Replace if missing or damaged) ☐ ☐ ☐
168. RES Remote Control (Replace if missing or damaged) ☐ ☐ ☐
169. RES Headphones (Replace if missing or damaged) ☐ ☐ ☐

Comments:

MEETS STANDARDS: YES NO N/A

- MEETS STANDARDS: YES NO N/A

- MEETS STANDARDS: YES NO N/A

MEETS STANDARDS: YES NO N/A

4 of 4